



SheffieldResources
LIMITED

Thunderbird a World Class Mineral Sands Project

Filling the supply gap

Ruidow Zircon and TiO₂ Conference
22 - 24 May 2018 – Ningbo, China
ASX:SFX

sheffieldresources.com.au

COMPLIANCE AND DISCLAIMER

PREVIOUSLY REPORTED INFORMATION

This presentation includes information extracted from Sheffield Resources Limited's ACN 125 811 083 ("the Company" or "Sheffield") previous ASX announcements, as follows:

"ADDITIONAL BINDING OFFTAKE SIGNED" 1 February 2018
"BINDING OFFTAKE AGREEMENTS EXCEED 50% OF STG 1 REVENUE" 22 December 2017
"THUNDERBIRD NATIVE TITLE UPDATE" 20 December 2017
"CARAWINE RESOURCES – COMPLETION OF IN-SPECIE DISTRIBUTION" 7 December 2017
"BINDING ZIRCON CONCENTRATE OFFTAKE AGREEMENT SIGNED" 12 December 2017
"COMMENCEMENT OF EARLY WORKS AND TRAINING PROGRAM" 4 December 2017
"SHEFFIELD ACQUIRES ACCOMMODATION VILLAGE" 8 November 2017
"SHEFFIELD TO IPO CARAWINE GOLD AND BASE METAL ASSETS" 19 October 2017
"SHEFFIELD ANNOUNCES EPC PREFERRED CONTRACTOR" 19 October 2017
"SHEFFIELD MANDATES TAURUS FOR US\$200M DEBT FACILITY" 18 October 2017
"THUNDERBIRD NATIVE TITLE UPDATE" 12 October 2017
"EPA RECOMMENDS APPROVAL OF THUNDERBIRD" 9 October 2017
"SHEFFIELD SECURES SECOND BINDING OFFTAKE AGREEMENT" 25 September 2017
"NATIVE TITLE APPEAL DISMISSED" 22 September 2017
"SHEFFIELD SIGNS MAIDEN BINDING OFFTAKE AGREEMENT" 12 September 2017
"THUNDERBIRD PERMITTING UPDATE" 30 August 2017
"SHEFFIELD LAUNCHES ABORIGINAL EMPLOYMENT PROGRAM" 17 August 2017
"NATIVE TITLE DETERMINATION" 15 June 2017
"SHEFFIELD SIGNS CORNERSTONE ILMENITE MOU" 29 May 2017
"SHEFFIELD SECURES FURTHER ZIRCON OFFTAKE MOUs" 26 April 2017
"ADDITIONAL ZIRCON OFFTAKE MOU SIGNED" 10 April, 2017
"SHEFFIELD SIGNS OFFTAKE MOUs" 04 April, 2017

This presentation also includes information that relates to Exploration Results, Mineral Resources, Ore Reserves, a Bankable Feasibility Study and other Technical Studies prepared and first disclosed under the JORC Code (2012). This information was extracted from Sheffield's previous ASX announcements as follows:

"QUARTERLY ACTIVITIES AND CASH FLOW REPORT" 31 October 2017
"THUNDERBIRD BFS DELIVERS OUTSTANDING RESULTS" 24 March, 2017
"THUNDERBIRD ORE RESERVE UPDATE" 16 March 2017
"THUNDERBIRD ILMENITE EXCEEDS PREMIUM SPECIFICATION" 13 March 2017
"OUTSTANDING IMPROVEMENTS IN RECOVERIES AND PRODUCT SPECIFICATIONS FROM THUNDERBIRD BFS" 12 October 2016
"SHEFFIELD DOUBLES MEASURED MINERAL RESOURCE AT THUNDERBIRD" 5 July 2016

These are available to view on Sheffield's website: www.sheffieldresources.com.au

The Company confirms that it is not aware of any new information or data that materially affects the information included in the relevant market announcements and, in the case of estimates of Mineral Resources, Ore Reserves, the Bankable Feasibility Study and other Technical Study results, that all material assumptions and technical parameters underpinning the estimates in the relevant market announcement continue to apply and have not materially changed. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the relevant original market announcements.



CAUTIONARY STATEMENTS AND RISK FACTORS

The contents of this presentation reflect various technical and economic conditions at the time of writing. Given the nature of the resources industry, these conditions can change significantly over relatively short periods of time. Consequently, actual results may vary from those contained in this presentation.

Some statements in this presentation regarding estimates or future events are forward-looking statements. They include indications of, and guidance on, future earnings, cash flow, costs and financial performance. Forward-looking statements include, but are not limited to, statements preceded by words such as "planned", "expected", "projected", "estimated", "may", "scheduled", "intends", "anticipates", "believes", "potential", "predict", "foresee", "proposed", "aim", "target", "opportunity", "could", "nominal", "conceptual" and similar expressions. Forward-looking statements, opinions and estimates included in this presentation are based on assumptions and contingencies which are subject to change without notice, as are statements about market and industry trends, which are based on interpretations of current market conditions. Forward-looking statements are provided as a general guide only and should not be relied on as a guarantee of future performance. Forward-looking statements may be affected by a range of variables that could cause actual results to differ from estimated results, and may cause the Company's actual performance and financial results in future periods to materially differ from any projections of future performance or results expressed or implied by such forward-looking statements. So there can be no assurance that actual outcomes will not materially differ from these forward-looking statements.

CORPORATE SNAPSHOT

ASX CODE SFX	ISSUED SHARES 229.0M	SHARE RIGHTS & OPTIONS 15.4M ²	SHARE PRICE (11 May 2018) A\$0.90	MARKET CAP A\$206M	CASH (UNAUDITED)¹ A\$25M	ENTERPRISE VALUE A\$181M	TOP TWENTY SHAREHOLDERS ~52%
-------------------------------	--------------------------------	---	---	-------------------------------------	---	------------------------------------	--




Major Shareholders

BlackRock	6%
Colonial First State	6%
Other Institutions	14%
Walter Yovich	6%

¹as at 31 March 2018

²average option exercise price A\$0.47c

WORLD CLASS PROJECT



- 42 year mine life¹
- Australia – a low risk mining jurisdiction
- High grade, premium quality zircon and TiO₂ products
- Exploration upside


Discover

Develop

Operate

1. Subject to permitting, offtake and financing

WORLD CLASS, HIGH GRADE ORE RESERVE



- Amongst the largest and highest grade zircon and ilmenite rich Ore Reserves
- Australia, the best mining jurisdiction in the world¹
- Most of the world's largest minerals sands Ore Reserves are in high risk jurisdictions

Thunderbird Ore Reserve as published on the ASX on 16 March 2017

Thunderbird Ore Reserves ranked against published Ore Reserves of current mineral sands operations and projects under investigation globally
Blue bubbles are operating mines, green bubbles are Ore Reserves reported but project is not operating, Light blue bubbles represent operating African mines' Ore Reserves
Bubble size proportional to tonnes of contained VHM. Only Ore Reserves > 1.2Mt contained VHM shown.
Data compiled by Sheffield from public sources. This analysis does not illustrate the variance in product value between rutile, leucosene and ilmenite

¹ Fraser Institute survey of mining companies 2016

OUR TEAM – EXPERIENCED AND SKILLED



MANAGEMENT

Bruce McFadzean – Managing Director

Mining engineer with over 35 years experience leading the financing, development and operation of mines in Australia and overseas, including roles with BHP Billiton and Rio Tinto. Previously Managing Director of Catalpa Resources Limited prior to its merger with Evolution Mining and Mawson West.

David Archer – Technical Director

Geologist with over 27 years experience Australian resources sector. Has held senior positions with major Australian mining companies, including RGC Ltd, and as consultant to Atlas Iron Limited and Warwick Resources Limited, was responsible for significant iron ore discoveries.

Stuart Pether – Chief Operating Officer

Qualified mining engineer with over 25 years' experience in the resources industry, both in Australia and overseas. Stuart has extensive experience in project development, technical studies, mine operations and corporate management; including executive engagements as CEO of Kula Gold Limited, VP Project Development - Evolution Mining and COO at Catalpa Resources.

Mark Di Silvio – CFO/Company Secretary

CPA with over 25 years experience in the resources sector working across Africa and Australia. Has led financing and restructuring initiatives, holding senior finance and executive positions with RGC/Goldfields, Woodside Energy, Centamin and Mawson West.

Jim Netterfield – Project Manager

Mechanical engineer with a proven track record in successfully managing mineral development projects through to production. Professional career includes roles with BHP Billiton and Rio Tinto, and most recently four years as acting CEO and Operations Director at Oakajee Port & Rail.

Neil Patten-Williams – Marketing Manager

Experienced marketing and operations manager with over 18 years experience in the mineral sands industry, having held a number of management roles with Doral. Solid background in marketing and logistics of both zircon and titanium mineral products.

Vanessa Hughes – General Manager People and Community

Qualified human resource executive with more than 25 years' experience in Australia and Africa. Vanessa has previously held senior roles at Resolute Mining, Millennium Minerals and Integra Mining. Highly skilled in building teams, engaging and developing people, and more broadly, fostering sustainable partnerships with communities as part of our social licence to operate.

BOARD

Will Burbury

Non-Executive Chairman

Bruce McFadzean

Managing Director

David Archer

Technical Director

Bruce McQuitty

Non-Executive Director


DEBT STRUCTURE - US\$200M UNDERWRITTEN SENIOR DEBT



- Finance provider - Taurus Mining Finance Fund and Taurus Mining Finance Annex Fund ("Taurus")
- Attractive funding terms:
 - Average cost of funds of ~7.6% across several tranches and the CI Facility¹
 - A revenue royalty of 0.5% (years 1 - 4) and 0.75% (years 5 - 22.5)
 - No equity dilution, customary upfront fees
 - 7 year term with a repayment profile that is sculpted to match the cashflows using a conservative mineral sands price deck with US\$100 million due at maturity
 - Facilities fully underwritten
- Taurus a strong partner for Sheffield:
 - Global debt fund manager focussed on emerging mining project and acquisition finance
 - Experienced in mineral sands projects with a strong technical team
- Strong pathway to project debt funding:
 - no market risk of syndication
 - US\$200m will provide a strong contribution to Sheffield's total funding requirement
 - DD and documentation is well advanced
 - Weighted average interest cost across multiple tranches, including issuance fees payable on the CI Facility



PROPOSED PLANT DESIGN




*Thunderbird Plant Design
and Layout*

- GRES (ASX:GNG) - Sound experience and quality in delivery of mineral processing plants
- Involved in Thunderbird since 2015
- Early Works Agreement and Key Term Sheet signed
- Proposed fixed price, lump sum EPC contract
 - New 7.5 million tonne per annum (Mtpa) plant and supporting infrastructure
 - Two year construction and commissioning schedule

OFFTAKE AND MARKET STATUS


Product & (% BFS Revenue)	Non Binding Agreement Stage 1 Volume	Binding Agreement Stage 1 Volume	Offtake Parties
Premium Zircon (43%)		100%	Sukaso, Ruby Ceramics, RZI, Qingyuan Jinsheng, Minchem, CFM, Others
Zircon Concentrate (19%)		100%	Hainan Wensheng, RZI
LTR Ilmenite (29%)	47%	In Progress	CHTi, Others
HiTi-88 (5%)		In Progress	
Titano-magnetite (4%)		In Progress	

- 62% of Stage 1 production under binding agreements
- Remaining binding off-take agreement discussions will continue in parallel with the funding process
- Thunderbird will deliver a secure supply of high quality products from a low risk jurisdiction over a 42 year mine life



ZIRCON - PREMIUM PRODUCT

- Ceramic Grade Zircon
- > 66% ZrO₂
- Low Fe₂O₃
- Low TiO₂
- Very Low Al₂O₃
- Moderate U+Th
- Good Opacity
- Off-take 100% complete




- 100% of Stage 1 premium zircon and zircon concentrate under binding contracts
- Stage 2 premium zircon and zircon concentrate production unallocated from 2024

Composition (%)		Premium Zircon	Typical ¹
ZrO ₂ +HfO ₂	%	66.2 – 66.6	66.30
TiO ₂	%	0.09 – 0.18	0.14
Fe ₂ O ₃	%	0.06 – 0.08	0.08
SiO ₂	%	32.5 – 33.5	32.5
Al ₂ O ₃	%	0.10 - 0.15	0.15


LTR ILMENITE - PREMIUM PRODUCT

- Exceptional Grade
- 56 – 58% TiO₂
- Outstanding FeO:Fe₂O₃ ratio
- Low Fe₂O₃ (<13%)
- Low Levels of Cr₂O₃
- High Acid Solubility
- Good reactivity rate
- Market Leading quality
- Very low CaO and MgO
- Suitable for chloride slagging
- Results in lower waste streams




Composition (%)	Thunderbird Optimise 4 ilmenite	Thunderbird Optimise 3 ilmenite	Premium Indian ilmenite	East Australian ilmenite	East African ilmenite	Southeast African ilmenite	West African ilmenite
TiO ₂	58.5	57.9	51.5	50.7	48.2	52.4	53.2
FeO	29.9	28.1	33.5	25-29	25.5	21.4	18.9
Fe ₂ O ₃	8.4	10.3	13	16-19	20	27.9	23.3
FeO:Fe ₂ O ₃	3.6	2.7	2.6	1.5	1.3	0.8	0.8
Cr ₂ O ₃	0.05	0.05	0.04	0.3	0.09	0.09	0.16

SIGNIFICANT ZIRCON SUPPLY SHORTFALL PREDICTED



- Without new projects, global zircon supply is expected to decline significantly over the coming years, 2017-2025
- Key drivers include;
 - Closure of existing mines (North Stradbroke, Mataraca, Iluka Murray Basin, Eneabba, Capel, Old Hickory, Chemours)
 - Declining grades and maturing ore bodies (Namakwa, Zulti North, Jacinth, Cooljarloo, Kwale).
 - Declining zircon quality in some maturing ore bodies
- Supply levels expected to drop to 0.75 million tonnes per annum by 2025


BFS KEY HIGHLIGHTS¹



1. Actual results may differ from these estimates. Please refer to the assumptions, sensitivities, risk factors and cautionary statements disclosed respectively on pages 7, 9, 10 and 56 of the Company's announcement "THUNDERBIRD BFS DELIVERS OUTSTANDING RESULTS" of 24 March, 2017, which may adversely impact upon the information and forecasts in this presentation.
2. USD:AUD 75c
3. 4 year production period following Stage 1 ramp-up (i.e. Year 3 to Year 7 of operation)
4. Site costs include sustaining capex, excludes corporate overheads and royalties
5. Premium zircon equivalent tonnes is calculated as total revenue from all products divided by premium zircon price

VHM GRADE AND DEPOSIT THICKNESS = VALUE

PLAN VIEW




- Thunderbird has a continuous High Grade Zone of up to 46m thickness
- economics are based on strong continuity and very high VHM grades
- Near-surface, high value areas targeted in early years of production
- HG Zone remains open: ongoing expansion potential
- Process plant proposed to be located adjacent to the deposit
- WCP remains in one location over the mine life
- Very Low Life of Mine strip ratio < 0.8 to 1.0



1. VHM = Ilmenite, zircon, rutile and Leucosene
2. Mine schedule derived from Ore Reserve ASX release 16 March 2017

CONVENTIONAL PROCESSING – HIGH QUALITY PRODUCTS

FLWSHEET



Delivers 5 quality products

Conventional heavy mineral sands processing circuit¹

Includes an ilmenite upgrade step using a low temperature roast (“LTR”)

LTR upgrades to >56% TiO₂ producing premium sulphate ilmenite, also suitable for chloride slag production

LTR ilmenite is low in chrome and alkalis with market-leading acid solubility

Flowsheet produces premium zircon and a secondary zircon concentrate

Recoveries ³	BFS Test work
LTR Ilmenite	71.0%
Zircon Premium (66% ZrO ₂)	56.1%
Zircon Concentrate (44% ZrO ₂)	33.0%
Hi-Ti88 Leucoxene	35.3%


Total recovery to products from BFS metallurgical test work.³

¹ Process design by Hatch and Robbins Engineering, based on metallurgical testwork carried out on a 40t bulk sample using full scale & scalable equipment

² Estimated from preliminary modelling to be finalised at BFS completion in early 2017




³ Refer ASX announcement 12 October 2016

PRODUCT VOLUMES





- Stage 1 produces moderate product volumes to manage market entry at a time when consensus indicates supply shortfalls
- Stage 2 expected to deliver Thunderbird as a globally significant zircon and ilmenite producer

STRONG REVENUE A\$ – FLAT COST STRUCTURE



COMPETITIVE REVENUE TO COST RATIO



- High margin producer
- Thunderbird represented adjacent to first quartile producers, several of whom are vertically integrated with beneficiation plants
- Independently derived margin curve
- Mining, power, logistics and gas costs consistent over 42 year mine life
- Local labour numbers do not change over mine life, no FIFO costs

1. 4 Year production period following Stage 1 ramp-up (Year 3 to Year 7 of operation)
 2. 2020 Cost Curve as presented by TZMI
 3. Note that several of the competitors presented here are integrated producers of downstream feedstock and associated by products
 Source: TZMI



A PROJECT FOR THE COMMUNITY


- **Lead Agency** status demonstrates State and Regional importance
- ~300 construction jobs, then up to 280 direct full time local jobs for 42 years
- Business opportunities with focus on Aboriginal participation
- Commitment to transparent Aboriginal employment, business and training
- Overwhelming community support
- Intergenerational job and training opportunities from 42 year mine life
- Products trucked 140km to ports at Derby and Broome, on major National Highway
- Access agreement in place for port storage, wharf and bulk handling facility at Derby
- EPA recommendation supports low environmental impact project
- Native Title approvals are within the National Native Title Tribunal (NNTT) process
- Mining Lease approval recommended by NNTT and EPA (environmental)



Existing Derby wharf and ship loader




TIMELINE – KEY TARGETS TO PRODUCTION¹



1 There is no guarantee that these targets and steps will be achieved
 2 Subject to permitting, offtake and funding
 3 Commissioning is anticipated to commence in late 2019

THUNDERBIRD: A WORLD CLASS MINERAL SANDS PROJECT

- 42 year mine life
- 100% owned
- Outstanding economics
- World's best mining jurisdiction
- US\$200m debt mandated on attractive terms
- Binding offtake zircon complete, TiO_2 advanced
- Strategic equity partner being sort
- Targeting initial production in 2019/2020



Thunderbird Wet Concentrator Design and Layout



Two Distinct Product Streams




ZIRCON BFS 62% Revenue

- 1.1 million tonne global p.a.
- >50% is used in the ceramics industry (tiles, crockery, etc.)
- Flat demand from 2012-2016
- 5 year growth 3% per annum in line with global GDP
- China now represents 45%, Europe around 20% of global demand
- Supply dominated by Australia (~50%) and Southern Africa (35-40%)
- Global production is predicted to decline from 2018
- Mature mines and jurisdiction risk impacts to production
- Industry consultants TZMI forecast a supply deficit from 2019

TITANIUM FEEDSTOCKS BFS 35% Revenue

- 6.5-7.0 million tonne p.a. global market (TiO₂ units)
- Global ilmenite 52-58% TiO₂, rutile 95-97% TiO₂ and slag 85-95% TiO₂
- ~90% of TiO₂ feedstocks are used in manufacture of TiO₂ pigment
- TiO₂ pigment imparts whiteness, brightness and opacity to paper, plastics, sunscreen, etc.
- TiO₂ pigment is manufactured by either the sulfate or chloride processing route, each with specific feed requirements
- Demand forecast to grow at 3% p.a. in line with global GDP
- Sulfatable ilmenite predicted to be in deficit as strong demand emerged from China in 2016



- Sheffield has conservatively applied independent industry experts TZMI and Ruidow long-term US\$ pricing recommendations (in Q4 2016) for the life of mine
 - From first production for Ilmenite, Hi-Ti88 and Titano-magnetite,
 - From 2020 and 2022 for Zircon Concentrate and Premium Zircon respectively

1. Real 2017 prices and FOB.

A\$m, Real 2017 Prices	STAGE 1	STAGE 2	LOM
	Financial Year 2019 – 2023 ⁵ (4 years)	Financial Year 2024 – 2033 ⁶ (10 years)	LOM ⁷ (42 years)
Ore Mined (Mt)	32.8	173.8	680.6
Strip Ratio (W:O)	0.52	0.58	0.77
VHM Grade (%)	6.41	5.10	4.49
Revenue	854	3,875	13,560
Royalties	(50)	(223)	(781)
Net Revenue	803	3,652	12,779
Opex: Mining	(104)	(421)	(1,828)
Opex: Processing	(228)	(1,024)	(4,093)
Opex: Logistics	(73)	(288)	(1,005)
Opex: Site G&A	(59)	(172)	(707)
Total Opex¹	(464)	(1,905)	(7,633)
EBITDA	339	1,746	5,146
A\$ site costs ² / tonne ore mined	14.65	11.11	11.40
A\$ revenue / tonne ore mined	25.99	22.29	19.92
US\$ site costs ² / tonne Premium Zircon eq. ^{3,4}	721	692	790
US\$ revenue / tonne Premium Zircon eq. ^{3,4}	1,278	1,387	1,381


Low LOM strip ratio supports consistent and predictable LOM cost structure

Equates to an average EBITDA of A\$175/yr for 1st 10 yrs of stage 2

1. Excludes corporate overheads.
2. Includes sustaining capex, excludes corporate overheads and royalties.
3. Premium zircon equivalent tonnes calculated as total revenues across all products/premium zircon price
4. AUD:USD = 0.75:1.00
5. Stage 1 time period depicted as Q4 FY2019 to Q3 FY2023 inclusive
6. Stage 2 first 10 years depicted as Q4 FY2023 to Q3 FY2033 inclusive
7. LOM (Life of Mine) describes the period 2018 to 2061.

CAPITAL EXPENDITURE

Description	US\$M	A\$M
Processing – Stage 1		
Plant Area Civils & Process Water Systems	19.0	25.3
Wet Concentrator Plant	43.5	58.0
Concentrate Upgrade Plant	25.7	34.3
Zircon Processing Plant	59.2	78.9
Ilmenite Processing Plant	22.7	30.2
Low Temperature Roast	32.6	43.4
Sub-Total	202.6	270.1
Infrastructure / Owners – Stage 1		
Site Preparation, Roads & Access	5.0	6.7
Dams, Bore field & HV Infrastructure	12.0	16.0
Derby Port	5.0	6.6
Labour & Operational Readiness	6.7	8.9
Mining Services & Infrastructure	4.6	6.1
Accommodation Village	3.9	5.2
Administration & Services	3.2	4.2
Sub-Total	40.3	53.7
Contingency	18.0	24.2
Total Stage 1 Capital Cost	260.9	347.9



- EPC-based process plant capital for Stage 1
- Stage 1 contingency 7.5%
- Stage 2 capital A\$195m (US\$146m) excluding contingency
- Our expectation is that Stage 2 capital will be funded from cash flow and debt

1. EPC capital cost derived from tendered costs to be finalised in present negotiations
 2. Stage 2 capital timing to be finalised during production ramp-up
 Source: BFS model, refer ASX announcement 24 March 2017

Appendix 5

ORE RESERVES

THUNDERBIRD DEPOSIT ORE RESERVES^{1,4}

Valuable Heavy Mineral (VHM) in-situ grade

Ore Reserve Category	Ore Tonnes (millions)	In-situ HM Tonnes (millions)	HM Grade (%)	Valuable HM Grade (In-situ) ²				Slimes (%)	Osize (%)
				Zircon %	HiTi Leuc %	Leuc %	Ilmenite %		
Proved	235.8	31.4	13.3	1.00	0.29	0.26	3.55	16.5	13.7
Probable	444.8	45.4	10.2	0.80	0.26	0.26	2.85	15.2	11.0
Total	680.5	76.8	11.3	0.87	0.27	0.26	3.10	15.7	12.0

Mineral assemblage as percentage of HM grade

Ore Reserve Category	Ore Tonnes (millions)	In-situ HM Tonnes (millions)	HM Grade (%)	Mineral Assemblage ³				Slimes (%)	Osize (%)
				Zircon (%)	HiTi Leuc (%)	Leuc (%)	Ilmenite (%)		
Proved	235.8	31.4	13.3	7.5	2.2	1.9	26.7	16.5	13.7
Probable	444.8	45.4	10.2	7.8	2.5	2.6	28.0	15.2	11.0
Total	680.5	76.8	11.3	7.7	2.4	2.3	27.4	15.7	12.0

1) Ore Reserves are presented both in terms of in-situ VHM grade, and HM assemblage. Tonnes and grades have been rounded to reflect the relative accuracy and confidence level of the estimate, thus the sum of columns may not equal. Ore Reserve is reported to a design overburden surface with appropriate consideration of modifying factors, costs, mineral assemblage, process recoveries and product pricing.

2) The in-situ grade is determined by multiplying the HM Grade by the percentage of each valuable heavy mineral within the heavy mineral assemblage.

3) Mineral Assemblage is reported as a percentage of HM Grade, it is derived by dividing the in-situ grade by the HM grade.

4) Ore Reserves reported for the Dampier Project were prepared and first disclosed under the JORC Code (2012), refer to Sheffield's ASX announcement dated 16 March 2017 for further detail.

THUNDERBIRD DEPOSIT MINERAL RESOURCE^{1,2,7}

Cut-off (HM%)	Mineral Resource Category	Material Tonnes (millions)	In-situ HM Tonnes (millions)	HM Grade ³ (%)	Valuable HM Grade (In-situ) ⁴				Slimes (%)	Osize (%)
					Zircon (%)	HiTi Leuc (%)	Leuc (%)	Ilmenite (%)		
> 3% HM	Measured	510	45	8.9	0.71	0.20	0.19	2.4	18	12
	Indicated	2,120	140	6.6	0.55	0.18	0.20	1.8	16	9
	Inferred	600	38	6.3	0.53	0.17	0.20	1.7	15	8
	Total	3,230	223	6.9	0.57	0.18	0.20	1.9	16	9
>7.5% HM	Measured	220	32	14.5	1.07	0.31	0.27	3.9	16	15
	Indicated	640	76	11.8	0.90	0.28	0.25	3.3	14	11
	Inferred	180	20	10.8	0.87	0.27	0.26	3.0	13	9
	Total	1,050	127	12.2	0.93	0.28	0.26	3.3	15	11

Cut-off (HM%)	Mineral Resource Category	Material Tonnes (millions)	In-situ HM Tonnes (millions)	HM Grade (%)	Mineral Assemblage ⁵				Slimes (%)	Osize (%)
					Zircon (%)	HiTi Leuc (%)	Leuc (%)	Ilmenite (%)		
> 3% HM	Measured	510	45	8.9	8.0	2.3	2.2	27	18	12
	Indicated	2,120	140	6.6	8.4	2.7	3.1	28	16	9
	Inferred	600	38	6.3	8.4	2.6	3.2	28	15	8
	Total	3,230	223	6.9	8.3	2.6	2.9	28	16	9
>7.5% HM	Measured	220	32	14.5	7.4	2.1	1.9	27	16	15
	Indicated	640	76	11.8	7.6	2.4	2.1	28	14	11
	Inferred	180	20	10.8	8.0	2.5	2.4	28	13	9
	Total	1,050	127	12.2	7.6	2.3	2.1	27	15	11

THUNDERBIRD DEPOSIT CONTAINED VALUABLE HM (VHM) IN MINERAL RESOURCES^{1,2,6}

Cut-off (HM%)	Mineral Resource Category	Zircon Tonnes (thousands)	HiTi Leucoxene Tonnes (thousands)	Leucoxene Tonnes (thousands)	Ilmenite Tonnes (thousands)	Total VHM Tonnes (thousands)
>3% HM	Measured	3,600	1,000	1,000	12,000	17,700
	Indicated	11,800	3,800	4,300	39,100	59,000
	Inferred	3,200	1,000	1,200	10,500	15,900
	Total	18,600	5,900	6,500	61,700	92,600
>7.5% HM	Measured	2,300	700	600	8,400	12,000
	Indicated	5,800	1,800	1,600	21,000	30,200
	Inferred	1,600	500	500	5,600	8,200
	Total	9,700	3,000	2,700	35,000	50,400

1) The Thunderbird Mineral Resources are reported inclusive of (not additional to) Ore Reserves. The Mineral Resource reported above 3% HM cut-off is inclusive of (not additional to) the Mineral Resource reported above 7.5% HM cut-off. 2) All tonnages and grades have been rounded to reflect the relative accuracy and confidence level of the estimate and to maintain consistency throughout the table, therefore the sum of columns may not equal. 3) Total heavy minerals (HM) is within the 38µm to 1mm size fraction and has been reported as a percentage of the total material quantity. 4) The Valuable HM in-situ grade is reported as a percentage of the total material quantity and is determined by multiplying the percentage of total HM by the percentage of each valuable heavy mineral within the HM assemblage at the resource block model scale. 5) The Mineral Assemblage is represented as the percentage of HM grade. Estimates of mineral assemblage are determined by screening and magnetic separation. Magnetic fractions were analysed by QEMSCAN for mineral determination as follows: >90% liberation and; Ilmenite 40-70% TiO₂; Leucoxene 70-94% TiO₂; High Titanium Leucoxene (HiTi Leucoxene) >94% TiO₂ and Zircon 66.7% ZrO₂+HfO₂. The non-magnetic fraction was analysed by XRF and minerals determined as follows: Zircon ZrO₂+HfO₂/0.667 and HiTi Leucoxene TiO₂/0.94. 6) The VHM inventory is derived from information in the Mineral Resource tables. 7) The Mineral Resource estimate was prepared and first disclosed under the JORC Code (2012), refer to Sheffield's ASX announcement dated 5 July 2016 for further detail.